

# Mulch Magic® Cherry Brown

Version

Revision Date:

SDS Number:

Date of last issue: -

1.0

08/25/2020

000000574896

Date of first issue: 08/25/2020

### **SECTION 1. IDENTIFICATION**

Product name

: Mulch Magic® Cherry Brown

Product code

000000000050341575

### Manufacturer or supplier's details

Company name of supplier

: Colorbiotics, LLC

Address

23700 CHAGRIN BLVD Beachwood OH 44122

Emergency telephone

ChemTel: +1-813-248-0585 USA: +1-800-255-3924 Contract

Number MIS9240420

#### Recommended use of the chemical and restrictions on use

Recommended use

: Product for construction chemicals

Restrictions on use

Reserved for industrial and professional use.

#### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with 29 CFR 1910.1200

No need for classification according to GHS criteria for this product.

#### GHS label elements

The product does not require a hazard warning label in accordance with GHS criteria.

#### Other hazards

No data available.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: No data available.

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Iron oxide	1309-37-1	>= 25 - < 75
carbon black	1333-86-4	>= 3 - < 10
ammonia, aqueous solution	1336-21-6	>= 0.1 - < 1

#### **SECTION 4. FIRST AID MEASURES**

General advice

Remove contaminated clothing.

Do not leave the victim unattended.

If inhaled

: Keep patient calm, remove to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact

Wash thoroughly with soap and water

In case of eye contact

Wash affected eyes for at least 15 minutes under running

water with eyelids held open. Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed

Rinse mouth and then drink 200-300 ml of water.



# Mulch Magic® Cherry Brown

Version 1.0

Revision Date: 08/25/2020

SDS Number: 000000574896 Date of last issue: -

Date of first issue: 08/25/2020

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Notes to physician

None known.

Treat symptomatically.

**SECTION 5. FIRE-FIGHTING MEASURES** 

Suitable extinguishing media :

Water spray Dry powder

Foam

Carbon dioxide (CO2)

Unsuitable extinguishing

High volume water jet

Specific hazards during fire

fighting

In case of fire hazardous decomposition products may be

produced such as:

Hazardous combustion prod- :

ucts

nitrogen oxides

Further information

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not

allow to reach sewage or effluent systems.

Dispose of fire debris and contaminated extinguishing water in

accordance with official regulations. Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Special protective equipment

for fire-fighters

Wear self-contained breathing apparatus and chemical-

protective clothing.

Wear self-contained breathing apparatus for firefighting if nec-

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Do not breathe vapour/spray.

Use personal protective clothing.

Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil.

Do not discharge into drains/surface waters/groundwater.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and

sealed.

Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.



# Mulch Magic® Cherry Brown

Version 1.0 Revision Date: 08/25/2020

SDS Number: 000000574896

Date of last issue: -

Date of first issue: 08/25/2020

Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

No special precautions necessary.

does not flash

Product is not explosive.

Normal measures for preventive fire protection.

Advice on safe handling

No special measures necessary if stored and handled correct-

ly.

Ensure thorough ventilation of stores and work areas.

When using do not eat, drink or smoke.

Hands and/or face should be washed before breaks and at the

end of the shift.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Conditions for safe storage

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age conditions

Keep away from heat.

Protect from direct sunlight.

Materials to avoid

: Segregate from foods and animal feeds.

No materials to be especially mentioned.

Further information on stor-

age stability

No data available

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Iron oxide	1309-37-1	TWA value (Respirable fraction)	5 mg/m3	ACGIHTLV
		REL value (Dust and fume)	5 mg/m3 (iron (Fe))	NIOSH
		PEL (fumes/smok e)	10 mg/m3	29 CFR 1910.1000 (Table Z-1)
		TWA value (fumes/smok e)	10 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		TWA (Res- pirable par- ticulate mat-	5 mg/m3	ACGIH



# Mulch Magic® Cherry Brown

Version 1.0

Revision Date: 08/25/2020

SDS Number: 000000574896 Date of last issue: -

Date of first issue: 08/25/2020

		ter)		
		TWA (dust and fume)	5 mg/m3 (Iron)	NIOSH REL
		TWA (Fumes)	10 mg/m3	OSHA Z-1
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
		TWA (Fumes)	10 mg/m3	OSHA P0
carbon black	1333-86-4	TWA value (Inhalable fraction)	3 mg/m3	ACGIHTLV
		PEL	3.5 mg/m3	29 CFR 1910.1000 (Table Z-1)
		TWA value	3.5 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		REL value	0.1 mg/m3 (Polycyclic aro- matic hydrocar- bons (PAH))	NIOSH
		TWA (Inhal- able particu- late matter)	3 mg/m3	ACGIH
		TWA	3.5 mg/m3	NIOSH REL
		TWA	3.5 mg/m3	OSHA Z-1
		TWA	3.5 mg/m3	OSHA P0
		TWA	0.1 mg/m3 (PAHs)	NIOSH REL

Engineering measures

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

Respiratory protection

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of

particles, gas and vapours.

For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator

(SAR) with escape provisions.

Hand protection

Remarks Chemical resistant protective gloves Protective glove selec-

tion must be based on the user's assessment of the work-

place hazards.

Eye protection Safety glasses with side-shields.

Tightly fitting safety goggles (chemical goggles).



# Mulch Magic® Cherry Brown

Version 1.0 Revision Date: 08/25/2020

SDS Number: 000000574896

Date of last issue: -

Date of first issue: 08/25/2020

Wear face shield if splashing hazard exists.

Skin and body protection

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective

boots, chemical-protection suit.

Protective suit

Protective measures

Handle in accordance with good industrial hygiene and safety

practice.

Wearing of closed work clothing is recommended.

Hygiene measures

Store work clothing separately.

Keep away from food, drink and animal feedingstuffs.

General industrial hygiene practice.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance

: liquid, viscous

Color

brown

Odor

: mild

Odor Threshold

: No data available

pH

approx. 9 - 10 (68 °F / 20 °C)

Melting point

: No applicable information available.

boiling temperature

: approx. 212 °F / 100 °C

(for a component of this mixture)

Flash point

does not flash

Evaporation rate

not applicable

Flammability (solid, gas)

not applicable

Upper explosion limit / Upper

flammability limit

\$ 10 miles | 10 miles

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance

with the intended use.

Lower explosion limit / Lower

flammability limit

As a result of our experience with this product and our

knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance

with the intended use.

Vapor pressure

approx. 23.4 hPa (68 °F / 20 °C) (for a component of this mixture)

Relative vapor density

Heavier than air.

Density

approx. 1.7 - 1.9 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility

dispersible



# Mulch Magic® Cherry Brown

Version

Revision Date:

SDS Number:

Date of last issue: -

08/25/2020 000000574896 1.0

Date of first issue: 08/25/2020

Solubility in other solvents : No applicable information available.

Partition coefficient: n-

not applicable

octanol/water

Autoignition temperature Based on the water content the product does not ignite.

Decomposition temperature No decomposition if stored and handled as pre-

scribed/indicated.

Viscosity

Viscosity, dynamic No applicable information available.

Viscosity, kinematic Forms a viscous solution.

Explosive properties Based on the chemical structure there is no indication of ex-

plosive properties.

Oxidizing properties Based on its structural properties the product is not classified

as oxidizing.

Sublimation point No applicable information available.

Molecular weight No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity No hazardous reactions if stored and handled as pre-

scribed/indicated.

No decomposition if stored and applied as directed. Chemical stability The product is stable if stored and handled as pre-

scribed/indicated.

No decomposition if stored and applied as directed.

Possibility of hazardous reac- :

tions

No hazardous reactions if stored and handled as pre-

scribed/indicated.

Stable under recommended storage conditions.

No hazards to be specially mentioned.

Conditions to avoid See SDS section 7 - Handling and storage.

See SDS section 7 - Handling and storage.

Incompatible materials Strong acids Strong bases

Strong oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products if stored and handled

as prescribed/indicated.

## SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.



# Mulch Magic® Cherry Brown

Version 1.0 Revision Date: 08/25/2020

SDS Number: 000000574896

Date of last issue: -

Date of first issue: 08/25/2020

### Serious eye damage/eye irritation

Not classified based on available information.

### Respiratory or skin sensitization

## Skin sensitization

Not classified based on available information.

### Respiratory sensitization

Not classified based on available information.

### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

### **Further information**

Product:

Remarks : Misuse can be harmful to health.

The product has not been tested. The statements on toxicology have been derived from the properties of the individual

components.

Remarks : No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Product:

Toxicity to fish

Remarks: No data available.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available.

Toxicity to algae/aquatic

plants

Remarks: No data available.

## Persistence and degradability

No data available



# Mulch Magic® Cherry Brown

Version

Revision Date:

SDS Number: 000000574896 Date of last issue: -

08/25/2020 1.0

Date of first issue: 08/25/2020

#### Bioaccumulative potential

Product:

Bioaccumulation

Remarks: Significant accumulation in organisms is not to be

expected.

Components:

Iron oxide:

Partition coefficient: n-

octanol/water

Remarks: Study scientifically not justified.

carbon black:

Partition coefficient: n-

octanol/water

Remarks: not applicable

ammonia, aqueous solution:

Partition coefficient: n-

octanol/water

Remarks: not applicable

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

There is a high probability that the product is not acutely

harmful to aquatic organisms.

The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual

components.

# **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods

Waste from residues

: Dispose of in accordance with national, state and local regula-

Do not discharge into drains/surface waters/groundwater. Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging

Contaminated packaging should be emptied as far as possible

and disposed of in the same manner as the sub-

stance/product.

## **SECTION 14. TRANSPORT INFORMATION**

# International Regulations

UNRTDG

Not regulated as a dangerous good

Not regulated as a dangerous good

IMDG-Code



# Mulch Magic® Cherry Brown

Version 1.0 Revision Date: 08/25/2020

SDS Number: 000000574896

Date of last issue: -

Date of first issue: 08/25/2020

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

**US State Regulations** 

Pennsylvania Right To Know

 Iron oxide
 1309-37-1

 carbon black
 1333-86-4

New Jersey Right To Know

carbon black 1333-86-4


The ingredients of this product are reported in the following inventories:

TSCA : On the inventory, or in compliance with the inventory

#### SECTION 16. OTHER INFORMATION

#### **Further information**

### NFPA 704:



#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

# Full text of other abbreviations

29 CFR 1910.1000 (Table Z- : OSHA - Table Z-1-A (29 CFR 1910.1000)

Special hazard

1-A)

1)

29 CFR 1910.1000 (Table Z- :

OSHA - Table Z-1 (Limits for Air Contaminants) 29 CFR

1910.1000



# Mulch Magic® Cherry Brown

Version 1.0

Revision Date: 08/25/2020

SDS Number: 000000574896 Date of last issue: -

Date of first issue: 08/25/2020

**ACGIH ACGIHTLV**  USA. ACGIH Threshold Limit Values (TLV)

American Conference of Governmental Industrial Hygienists -

threshold limit values (US)

NIOSH NIOSH REL OSHA PO

NIOSH Pocket Guide to Chemical Hazards (US) USA. NIOSH Recommended Exposure Limits

USA. OSHA - TABLE Z-1 Limits for Air Contaminants -

OSHA Z-1

1910.1000 USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

29 CFR 1910.1000 (Table Z- :

Time Weighted Average (TWA):

1-A) / TWA value

29 CFR 1910.1000 (Table Z- :

Permissible exposure limit

1) / PEL

ACGIH / TWA ACGIHTLV / TWA value

8-hour, time-weighted average Time Weighted Average (TWA): Recommended exposure limit (REL):

NIOSH / REL value NIOSH REL / TWA

Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA P0 / TWA OSHA Z-1 / TWA

: 8-hour time weighted average : 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory, LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative



# Mulch Magic® Cherry Brown

Version

Revision Date: 08/25/2020

SDS Number: 000000574896

Date of last issue: -

Date of first issue: 08/25/2020

Revision Date

08/25/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE . IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN